


鋼製曲軸，雙活塞環活塞，

鍍鉻汽缸，完美的組合。

Steel Crankshaft, Piston with Two Rings,
Chrome coating Cylinder, Perfect Combination.



動力引擎
Power Engine

■ 動力引擎 POWER ENGINE

通用引擎，動力的來源。HIACE動力引擎，鋼製曲軸，有效減少引擎震動的設計讓您有最舒適的工作體驗；雙活塞環配置的活塞，給您最穩定的動力輸出；先進鍍鉻技術的汽缸，讓您幾乎不需擔心汽缸磨損而造成動力損失；HIACE自有品牌L. T. 化油器，可因應您的需求、各國汽油及環境差異，調配最適合的油量，給您全時全效的動力發揮，無論是割草機、抽水機、背負式噴霧機、綠籬機或是地鑽，HIACE十大系列引擎提供您最佳的選擇。

Genuine engine, a power source. HIACE Power Engines include steel crankshaft with the design to reduce vibration and give you the most comfortable working experience; and with the piston with 2piston rings offer you stable power output; the cylinder with advanced chrome coating technology let you not to worry about the wear of cylinder then cause power losing; L.T. Brand Carburetors which produce by HIACE, can adjust fuel delivery according to the gasoline quality in different countries and environments to meet optimal engine efficiency. HIACE 10 series engines offer you the best solution for brush cutter, water pump, knapsack power sprayer, hedge trimmer, and earth auger.



※鋼製曲軸和搭配雙活塞環的活塞，有效延長使用壽命。

Steel crankshaft and piston with two rings guarantee prolonged service life.

※足夠的硬鉻鍍層提供幾乎不磨損的汽缸，持續提供充足的動力。

Enough Chrome Coating thickness of Cylinder ensures the excellent abrasion resistance, and keeps offering sufficient power.

※引擎形式：二行程，單汽缸，氣冷，汽油引擎。

Engine Type: 2-Stroke, Single Cylinder, Air-Cooled, Gasoline Engine.

※燃油配比：汽油和二行程機油混合比25:1〈JASO FC級或ISO EGC級〉。

Fuel Mixture (Gasoline): Mixed Fuel of Gasoline and 2-Stroke oil at 25:1.
(JASO FC Class or ISO EGC Class)

※點火系統：電子CDI式。

Ignition System: Electronic CDI Type.

※HIACE製造L. T. 品牌化油器，可因應各國汽油及環境差異調配油量，以期全力發揮引擎效能。

L.T. Brand Carburetors which are produced by HIACE, can adjust fuel delivery according to the gasoline quality in different countries and environments to meet optimal engine efficiency.

※離合器片以燒結材質製成，有效抗壓和延長耐久性。

Centrifugal clutch with shoes of sintered material ensuring resistance to stress and long-term durability.

■ 動力引擎 POWER ENGINE

TH-23VL



引擎型號	Engine Model	TH-23VL
缸徑/行程	Cylinder Dia./Stroke	Φ32mm / 28mm
排氣量/功率	Displacement/Power	22.5 c.c. / 1.4HP
化油器形式	Carburetor Type	膜片式 Diaphragm Type
化油器品牌	Carburetor Brand	Walbro JAPAN
油箱容量	Fuel Tank Cap.	0.5公升 / Liter

HT-328/358



引擎型號	Engine Model	HT-328	HT-328W	HT-358	HT-358W
缸徑/行程	Cylinder Dia./Stroke	Φ36mm / 30mm		Φ38mm / 30mm	
排氣量/功率	Displacement/Power	30.5 c.c. / 1.7HP		34 c.c. / 1.9HP	
化油器形式	Carburetor Type	浮筒式 Float TYPE			
化油器品牌	Carburetor Brand	L. T.			
油箱容量	Fuel Tank Cap.	None			

HT-328L/358L



引擎型號	Engine Model	HT-328L	HT-328LT	HT-358LT
缸徑/行程	Cylinder Dia./Stroke	Φ36mm / 30mm		Φ38mm / 30mm
排氣量/功率	Displacement/Power	30.5 c.c. / 1.7HP		34 c.c. / 1.9HP
化油器形式	Carburetor Type	膜片式 Diaphragm Type		
化油器品牌	Carburetor Brand	Walbro JAPAN		
油箱容量	Fuel Tank Cap.	None	1公升 / Liter	

■ 動力引擎 POWER ENGINE

HF-26 Series



引擎型號	Engine Model	HF-26L	HF-26LT
缸徑/行程	Cylinder Dia./Stroke	Φ34mm / 28mm	
排氣量/功率	Displacement/Power	25.4 c.c. / 0.87kw	
化油器形式	Carburetor Type	膜片式 Diaphragm Type	
化油器品牌	Carburetor Brand	Walbro JAPAN	
油箱容量	Fuel Tank Cap.	None	0.87 公升 / Liter

TB-33/43



引擎型號	Engine Model	TB-33	TB-43	TB-43W
缸徑/行程	Cylinder Dia./Stroke	Φ36mm / 32mm	Φ40mm / 34mm	
排氣量/功率	Displacement/Power	32.6 c.c. / 1.7HP	42.7 c.c. / 2.1HP	
化油器形式	Carburetor Type	浮筒式 Float Type		
化油器品牌	Carburetor Brand	L.T. TAIWAN / TK JAPAN		
油箱容量	Fuel Tank Cap.	None		

TB-33L/43L/52L



引擎型號	Engine Model	TB-33LT	TB-33WLT	TB-43LT	TB-43WLT	TB-52LT
缸徑/行程	Cylinder Dia./Stroke	Φ36mm / 32mm	Φ40mm / 34mm	Φ44mm / 34mm		Φ44mm / 34mm
排氣量/功率	Displacement/Power	32.6 c.c. / 1.7HP	42.7 c.c. / 2.1HP	51.7 c.c. / 2.3HP		51.7 c.c. / 2.3HP
化油器形式	Carburetor Type	膜片式 Diaphragm Type				
化油器品牌	Carburetor Brand	Walbro JAPAN				
油箱容量	Fuel Tank Cap.	1公升 / Liter				

■ 動力引擎 POWER ENGINE

G-35/45



引擎型號	Engine Model	G-35	G-45
缸徑/行程	Cylinder Dia./Stroke	Φ36mm / 33mm	Φ40mm / 33mm
排氣量/功率	Displacement/Power	32.6 c.c. / 1.7HP	41.5 c.c. / 2.2HP
化油器形式	Carburetor Type	浮筒式 Float Type	
化油器品牌	Carburetor Brand	L.T. TAIWAN / TK JAPAN	
油箱容量	Fuel Tank Cap.	None	

G-35L/45L



引擎型號	Engine Model	G-35L	G-45L
缸徑/行程	Cylinder Dia./Stroke	Φ36mm / 33mm	Φ40mm / 33mm
排氣量/功率	Displacement/Power	32.6 c.c. / 1.7HP	41.5 c.c. / 2.2HP
化油器形式	Carburetor Type	浮筒式 Float Type	
化油器品牌	Carburetor Brand	L.T. TAIWAN / TK JAPAN	
油箱容量	Fuel Tank Cap.	0.8公升 / Liter	

G-4LS



引擎型號	Engine Model	G-4LS
缸徑/行程	Cylinder Dia./Stroke	Φ40mm / 33mm
排氣量/功率	Displacement/Power	41.5 c.c. / 2.2HP
化油器形式	Carburetor Type	膜片式 Diaphragm Type
化油器品牌	Carburetor Brand	Walbro JAPAN
油箱容量	Fuel Tank Cap.	1 公升 / Liter

■ 動力引擎 POWER ENGINE

NB-411



引擎型號	Engine Model	NB-411
缸徑/行程	Cylinder Dia./Stroke	Φ40mm / 32mm
排氣量/功率	Displacement/Power	40.2 c.c. / 2.0HP
化油器形式	Carburetor Type	浮筒式 Float Type
化油器品牌	Carburetor Brand	L.T.
油箱容量	Fuel Tank Cap.	0.8公升 / Liter

EC-04



引擎型號	Engine Model	EC-04	EC-04C	EC-04CW10	EC-04CW15
缸徑/行程	Cylinder Dia./Stroke	Φ40mm /32mm			
排氣量/功率	Displacement/Power	40.2 c.c. / 2.0HP			
化油器形式	Carburetor Type	浮筒式 Float Type	膜片式 Diaphragm Type		
化油器品牌	Carburetor Brand	L.T.	Walbro JAPAN		
油箱容量	Fuel Tank Cap.	0.88公升/Liter			

HT-200



引擎型號	Engine Model	HT-200
缸徑/行程	Cylinder Dia./Stroke	Φ39mm / 34mm
排氣量/功率	Displacement/Power	39.4 c.c. / 2.0HP
化油器形式	Carburetor Type	浮筒式 Float Type
化油器品牌	Carburetor Brand	L.T.
油箱容量	Fuel Tank Cap.	0.7公升 / Liter

TD-40



引擎型號	Engine Model	TD-40
缸徑/行程	Cylinder Dia./Stroke	Φ40mm / 32mm
排氣量/功率	Displacement/Power	40.2 c.c. / 2.1HP
化油器形式	Carburetor Type	浮筒式 Float Type
化油器品牌	Carburetor Brand	L.T.
油箱容量	Fuel Tank Cap.	1公升 / Liter

■ 割草機 BRUSH CUTTER

您也許需要修剪圍牆邊緣，整理您的花園或清理久未整理長滿雜草的區域，任何艱難的任務您都可以根據技術需求找到正確的HIACE割草機。我們一貫的宗旨就是滿足並超越客戶的需求。我們提供肩掛式割草機，以及背負式割草機搭配九大系列的HIACE引擎以符合您對任何條件包含清除雜草、灌木叢甚至濃密的矮樹叢的需求。我們的肩掛式割草機可以搭配U型操作系統以便長時間的操作控制，也可搭配D型提把以達到您對輕便的要求，而在陡坡及斜坡地形、或是整理溝渠、田埂及矮樹叢，背負式割草機是最理想的修剪工具，我們也提供各種加油把手供您不同的操作需求。

該如何選擇合適的引擎動力來符合您的需求是很多人最大的疑問，割除雜草或是修剪草皮，您只需要搭配25-40c. c. 引擎動力的割草機即可，而更高要求的作業，如在崎嶇不平的地面工作，則需要更有力的40-60c. c. 引擎割草機來完成。

You might need to trim borders, tidy your garden or clear areas overgrown with untended vegetation: for each one of these tasks you can always find just the right HIACE brush cutter with the technical specifications best suited to the job in hand. To satisfy and exceed the requirement of customers is our consistent aim. We offer 9 series of HIACE engines which can be fit with shoulder type shaft, or knapsack frame to be the right brush cutter for your clearing applications ranging from rough grass, thickets, or shrubs to dense undergrowth. Our shoulder type brush cutter can be equipped with a bicycle-style "U"-handle for long time operating. If you need light-weight design, we also offer D handle for you. Knapsack brush cutter is the best trimmer for working on steep or sloping ground and cleaning ditches, banks and undergrowth. We also offer different throttle options for your operating requirement. For many type of trimmers, the most complicated question is how to choose the suitable engine source. For grass cutting and trimming jobs, a brush cutter of between 25 to 40 c.c. displacement will be enough. More demanding tasks on uneven ground should be performed using more powerful brush cutters of between 40 and 60 c.c. displacement.



※引擎可傾斜360度，任何位置都能順利操作。

Engine can be tilted through 360°: runs smoothly in any position.
(HT-328L/358L、TL-33L/43L/52L、TB-33L/43L/52L)

※適用於陡坡及斜坡地形、及整理溝渠、田埂及矮樹叢的背負式割草機。

Ideal knapsack brush cutter for working on steep or sloping ground and cleaning ditches, banks and undergrowth.

※自動潤滑的培林傳動，降低震動以提升操作者舒適度。

Transmission with self-lubricating bearings designed to minimize vibrations for greater operator comfort.

※鋁管搭配鋼製傳動軸心，提供最大功率傳輸和最低震動。

Aluminum pipe and steel drive shaft: combination guaranteeing maximum power transmission and minimal vibration.

※輕量化和結實的傘齒輪傳動設計，操作時輕鬆控制於適當位置。

Lightweight and compact bevel gear drive reduces weight at the gear case, making the machine easier to handle and position.

※刀頭使用左牙螺帽固定，除了可增加強度，也可輕易拆卸或更換刀具。

New bevel drive attached by way of M10 male thread: improved strength and simpler removal / replacement of cutting tool.

※可調整式抗震系統，再搭配符合人體工學的特點（把手及背帶），可適用於任何高度的操作者。

Adjustable anti-vibration system allows adaptation of ergonomic machine features (handles, harness) to any height and build of operator.

※供應各式修剪工具，可依不同作業面積及植被種類來選擇適合的工具。

Broad choice of cutting tools for different cutting areas and different kinds of vegetation.